# Spare Parts for Heavy Duty

# 厚料設備及零配件

www.kwokhing.com

www.khsew.com

2020

新產品 New Products

國興針車公司

Kwok Hing Sewing Machine Co.

# 圖例 Legend




① **QR Code 二維碼**
Scanning the QR Code for more product information and order it at once
掃瞄二維碼查閱更多產品資訊並即時訂購

② **Genuine part number 原裝零件編號**

③ **Related parts 關聯零件**

④ **Product description 產品描述**

⑤ **Part number 零件編號**

⑥ **Applicable machine models 可應用縫紉機型號**
- Durkopp Adler machine models 杜克普縫紉機型號
- Pfaff machine models 百福縫紉機型號
- Juki machine models 重機縫紉機型號

⑦ **Maximum stitch length 最長針步行距**

⑧ **Optional specifications 可選規格**

# NEW PRODUCTS
## 新產品



### KP867C

367 467 767 768 867 868 869 1767 LU-2210 LU-2810A




Single needle compensating feet set
單針高低壓腳組

### GL367M

367 467 767 768 867 868 869 1767 LU-2210 LU-2810A




Compensating left guide feet (for extreme heavy)
左傍高低壓腳（極厚物用）

**3, 4, 5, 6, 8, 9 mm**

### GR367M

367 467 767 768 867 868 869 1767 LU-2210 LU-2810A




Compensating right guide feet (for extreme heavy)
右傍高低壓腳（極厚物用）

**3, 4, 5, 6, 8, 9 mm**

### KP867CD

467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A



Double needle compensating feet set
雙針高低壓腳組

**6, 8, 10, 12 mm**

### KP867COD

467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A



KP867CD-I KH768DP-I
Double needle compensating outer foot
雙針高低外壓腳

**6, 8, 10, 12 mm**

### KP867CD-I

467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A

KP867COD
Double needle inner foot
雙針內壓腳

**6, 8, 10, 12 mm**

### KH768DP

467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A




Double needle compensating feet for piping
雙針高低繩管壓腳組

**8, 10, 12 mm**

### KH768DP-I

467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A




KP867COD
Double needle inner piping foot
雙針繩管內壓腳

**8, 10, 12 mm**

### KP768YC

467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A




Fixed guiding feet with short toes
短趾固定中分壓腳

**6, 8, 10, 12 mm**

### KP768YAO

467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A




KP768-YI
Pneumatic center guiding foot with extremely short toes
超短趾氣動中分外壓腳

**6, 8, 10, 12, 14, 16 mm**

### KP768-YI

467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A

KP768YAO KP768YCO
Short toes feeding foot
超短趾內壓腳

**6, 8, 10, 12, 14, 16 mm**

### KP768YCO

467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A




KP768-YI
Fixed guiding foot with short toes
短趾固定中分外壓腳

**6, 8, 10, 12 mm**

# NEW PRODUCTS
## 新產品

### KP367XW

367 467 767 768 867 868 869 1767 LU-2210 LU-2810A




Wider standard feet
加闊標準壓腳

### KP867-N081

367 467 767 768 867 868 869 1767 LU-2210 LU-2810A




Narrow standard feet
窄身標準壓腳

### KP867-N081WR

367 467 767 768 867 868 869 1767 LU-2210 LU-2810A




Narrow standard feet with wider right toe
右趾較寬窄身標準壓腳

### KP367ZPW

367 467 767 768 867 868 869 1767 LU-2210 LU-2810A




KHF844

Presser feet for invisible zipper
隱形拉鏈壓腳

### KH867K-NP/FD

867




KP367W KP867W

Needle plate & feed dog for thin material
薄料用針板及送布牙

### KH867Q-NP/FD

867




KP467Q

Need plate & feed dog for upturned material, head rest or seam with a large drop-height
上翹形物料/頭枕用針板及送布牙

### GL141

DU-141



Left guiding feet
左傍壓腳

1/16", 1/8", 3/16" 1/4"

### GR141

DU-141



Right guiding feet
右傍壓腳

1/16", 1/8", 3/16" 1/4"

### KR350

DU-141



Right guiding feet
右傍壓腳

1/8", 3/16" 1/4"

### KP141Q

DU-141



Presser feet for upturned materials
上翹物料用壓腳

### KP1245VX

335 345 1245 1295



Presser feet for climbing over cross seams
十字縫用壓腳

### KP1525VX

1445 1525



Presser feet for climbing over cross seams
十字縫用壓腳

# NEW PRODUCTS
## 新產品



### KH1245PD



335 345 1245 1295

Double piping groove, needle hole in the middle
雙坑壓腳，針孔在中

**3/16" x 2, 1/4" x 2, 3/8" x 2**

### KH1510PD



DSC-245 LU-1510N LU-2810S

Double piping groove, needle hole in the middle
雙坑壓腳，針孔在中

**3/16" x 2, 1/4" x 2, 3/8" x 2**

### KH1525PD



1445 1525

Double piping groove, needle hole in the middle
雙坑壓腳，針孔在中

**3/16" x 2, 1/4" x 2, 3/8" x 2**

### KH767AS-SG




767

Asymmetric guiding gauge set 不對稱分骨針位

**6, 8, 10, 12 mm**

### KH867AS-SG




867

Asymmetric guiding gauge set 不對稱分骨針位

**6, 8, 10, 12 mm**

### KP768CC



467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A

Compensating center guide foot
高低互補中分外壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

### KP1510TP



DSC-245 LU-1510N LU-2810S

Single needle tape attaching feet
單針落帶壓腳

**Tape Width** 帶寬:
**1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"**

### KP1510TP-I



DSC-245 LU-1510N LU-2810S

KP1510TPO KR-12T

Feeding foot for single needle tape attaching feet
單針落帶內壓腳

### KP267TP



69 267 269

Single needle tape attaching feet
單針落帶壓腳

**Tape Width** 帶寬:
**1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"**

### KP367TP



367 467 767 768 867 868 869 1767 LU-2210 LU-2810A

Single needle tape attaching feet
單針落帶壓腳

**Tape Width** 帶寬:
**1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"**

### KP367TP-I



367 467 767 768 867 868 869 1767 LU-2210 LU-2810A

KP267TPO KP367TPO KR-12T

Feeding foot for single needle tape attaching feet
單針落帶內壓腳

# NEW PRODUCTS
## 新產品

### KP269TP



69 267 269

Double needle tape attaching feet 雙針落帶壓腳

**Needle space** 針距:
**4, 5, 6, 8, 10, 12 mm**

**Tape width** 帶寬:
**1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"**

### KP767TP



467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A

Double needle tape attaching feet 雙針落帶壓腳

**Needle space** 針距:
**4, 5, 6, 8, 10, 12 mm**

**Tape width** 帶寬:
**1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"**

### KP767TP-I



467 767 768 867 868 869 1767 PLC-1760 LU-2260 PLC-2760 PLC-2760-7 LU-2860A

KP269TPO KP767TPO KR-12T

Feeding foot for double needle tape attaching feet
雙針落帶內壓腳

**4, 5, 6, 8, 10, 12 mm**

### KR-12T



KP367TP-I KP767TP-I KP1510TP-I

Tape tube
導帶管

**Tape Width** 帶寬:
**1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"**

### KH291-NB



291

Needle bar
針柱

### KH1296-NB

346 1246 1296 1526

KH1296-NC

Needle bar
針柱

### KA768-F



768 868 PLC-2760 PLC-2760-7

KA768-BG KA768-LBG

Downturn hemmer attachment
下摺邊助縫配件

### KA768-FBG



768 868 PLC-2760 PLC-2760-7

N522-005022 14mm
N522-005032 16mm
N522-005042 18mm
N522-005052 20mm

Belt guide with downturn hemmer
下摺邊導帶器

**10, 12, 14, 16, 18, 20 mm**

### KA768-LBG



768 868 PLC-2760 PLC-2760-7

Wider belt guide
較寬導帶器

**22, 24, 26, 28, 30, 32 mm**

### KA768-LBI



768 868 PLC-2760 PLC-2760-7

KA768-LBG

Wider belt insert
較寬導帶座膠

**22, 24, 26, 28, 30, 32 mm**

# NEW PRODUCTS
## 新產品



### KH669-NP/FD

669



S ↑ 9mm

Standard needle plate & feed dog
標準針板及送布牙

### KH669R-NP/FD

669




S ↑ 9mm

Raised needle plate & feed dog
升高針板及送布牙

### KH669D-NP/FD

669




S ↑ 5mm

Raised, small needle plate & feed dog
升高短針板及送布牙

### KA-CNS



Needle cooler for single needle machine
單針機用車針冷卻裝置

### KA-CND



Needle cooler for double needle machine
雙針機用車針冷卻裝置

### KH367RFG

367 467 767 768 867 868 869 1767 LU-2210 LU-2810A



KP367W KP367XW KP367N KP367LN KP367RN KP367-N081 KP367-L081 KP367-R081 KP367F KP367T

Finger guard for single needle presser feet (Right)
單針壓腳護針罩(右)

### KH367RFG2



Universal stronger finger guard (Right)
泛用加強型護針罩(右)

### KH867FG

867 868



KP867W KP867LN KP867RN

Finger guard for single needle presser feet
單針壓腳護針罩

### KH1510FG

335 1245 LU-1510N LU-2810S



Finger guard for single needle presser feet
單針壓腳護針罩

### KH1560FG

1246 1296 LU-1560N



Finger guard for double needle presser feet
雙針壓腳護針罩

### 0667-155100

767 867

Lifter lever
床撥

# SUSPENDING GUIDES & BRACKETS
## 傍位及轉接配件

### KG779L




KB09 | KB205 | KB267 | KB295 | KB591
KB767 | KB867 | KB967 | KB1230 | KB2810

Left compensating roller guide
左高低滾輪傍位

### KG779R




KB09 | KB205 | KB267 | KB295 | KB591
KB767 | KB867 | KB967 | KB1230 | KB2810

Right compensating roller guide
右高低滾輪傍位

### KG867P







KG867P-LAK | KB09 | KB205 | KB267 | KB295 | KB591 | KB767 | KB867
KB967 | KB1230 | KB2810 | KG-AB | KG-AC | KG-AD | KG-BZ | KG-BZS
KG-NR | KG-S11 | KG-S04

Pneumatic 2 steps adjustable suspending guide
氣動二段調節傍位

### KG867P-LAK




KG867P

15 - 30mm stitches distance adjustment kit for KG867P
KG867P 15 - 30mm 縫線間距調校配件

### KG-AD



KG-AA | KG141 | KG367B | KG767A | KG767B
KG767LR | KG778 | KG867A | KG867P | KG867S
KG867Y | KG967A | KG1245

Guiding knife for curve stitch
曲線縫傍刀

# SUSPENDING GUIDES & BRACKETS
## 傍位及轉接配件

NEW PRODUCTS 新產品

### KG-BZS




KG141 KG367B KG767A KG767B KG767LR
KG778 KG867A KG867P KG867S KG867Y
KG967A KG1245

Zipper guide
拉鏈傍位

### KB967

967



KG967A

Mounting bracket
轉接配件

### KB2810

# 401-12214

PLC-2710 PLC-2710-7
PLC-2760 PLC-2760-7
LU-2810A LU-2810S
LU-2860A LU-2860S



KG767A KG767B KG767LR KG867A KG867D
KG867N KG867P KG867S KG867Y KG967A

Mounting bracket
轉接配件

# ATTACHMENTS FOR BINDING
## 包邊助縫配件

### KHB669

669



KP367B KH669-NPB KH669-FDB KHF2 KHF3
KHF4 KHF4410 KHF867S KHF867T KHF867UT

Moving arm for binding
包邊筒擺架

### KHB767

467 767 867



KH467B KH867-BNP KH867-BFD KHF2 KHF3
KHF4 KHF4410 KHF867S KHF867T KHF867UT

Moving arm for binding
包邊筒擺架

### KHF91045

1245 1525



KH1245-NPB KH1245-FDB KHF2 KHF3
KHF4 KHF4410 KHF867S KHF867T KHF867UT

Moving arm for binding
包邊筒擺架

### KHB01

1767 LU-2210
LU-2810A LU-2810S




KH2810B-NP KH467B-FD KHF2 KHF3
KHF4 KHF4410 KHF867S KHF867T KHF867UT

Moving arm for universal flat bed machine models
泛用型平面車包邊筒擺架

NEW PRODUCTS 新產品

# ATTACHMENTS FOR BINDING
## 包邊助縫配件

### KHF867S




KHB01 KHB669 KHB767 KHF91045

Cord welting attachment
繩管飾邊拉筒

### KHF867T




KHB01 KHB669 KHB767 KHF91045

Vinyl welting attachment
硬飾邊拉筒

### KHF867UT




KHB01 KHB669 KHB767 KHF91045

Under tape attachment
底貼拉筒

### KHF4410




KHB01 KHB669 KHB767 KHF91045

### KH205-FNP/FDB

205-370 TSC-441



KP205B KHF2 KHF3 KHF4

Needle plate & feed dog for binding
包邊針板及送布牙

### KHF2



KA69 KHB01 KHB669 KHB767 KHF91040 KHF91045

Raw edge binder 散口包邊拉筒

**10, 12, 14, 16, 18, 20, 22, 24, 26mm**

### KHF2



KA69 KHB01 KHB669 KHB767 KHF91040 KHF91045

Raw edge binder 散口包邊拉筒

**5/8", 3/4", 7/8", 1"**

### KHF3



KA69 KHB01 KHB669 KHB767 KHF91040 KHF91045

Single fold binder 面環底散包邊拉筒

**18, 20, 22, 24, 26, 28mm**

### KHF4



KA69 KHB01 KHB669 KHB767 KHF91040 KHF91045

Double fold binder 雙環口包邊拉筒

**18, 20, 22, 24, 26, 28, 30, 32mm**

# ATTACHMENTS FOR BINDING
## 包邊助縫配件



### KH467B

467 767



KP367B KHB767

Needle plate & feed dog for binding
包邊用針板及送布牙

### KH669-NPB/FDB

669



KP367B KHB669

Needle plate & feed dog for binding
包邊用針板及送布牙

### KH867-BNP/BFD

867



KP367B KHB767

Needle plate & feed dog for binding
包邊用針板及送布牙

### KH1245-NPB/FDB

1245



KP335FB KHF91045

Needle plate & feed dog for binding
包邊用針板及送布牙

### KH1525-NPB/FDB

1525



KP1525B KHF91045

Needle plate & feed dog for binding
包邊用針板及送布牙

### KH2810-NPB+KH467B-FD

LU-2810A LU-2810S



KP367B KHB01

Needle plate & feed dog for binding
包邊用針板及送布牙

### KP335FB

#91-044 227-04 #91-042 819-93 335 1245



KH1245-NPB KH1245-FDB KHF91040 KHF91045

Presser feet for binding
包邊壓腳

### KP367B

367 467 669 767 867 1767 LU-2210 PLC-2710 PLC-2710-7 LU-2810A



KH467B KH669-NPB KH669-FDB KH867-BNP KH867-BFD KH2810-NPB KH467B-FD KHB01 KHB669 KHB767

Presser feet for binding
包邊壓腳

### KP1525B

1525



KH1525-NPB KH1525-FDB KHF91045

Presser feet for binding
包邊壓腳

### KP205B

205-370 TSC-441



KH205-FNP KH205-NPB KH205-FDB

Presser feet for binding
包邊壓腳

## KP367W




Standard feet
標準壓腳

## KP367XW




Wider standard feet
加闊標準壓腳

## KP367N




Narrow standard feet
窄身標準壓腳

## KP367LN

Left cording feet
左單邊壓腳

## KP367RN



Right cording feet
右單邊壓腳

## KP367T




Presser feet for zipping
拉鏈壓腳

## KP367-N081



Presser foot width 外壓腳闊 : 10mm
Feeding foot width 內壓腳闊 : 4.5mm

Narrow standard feet
窄身標準壓腳

## KP367-L081



Presser foot width 外壓腳闊 : 7.5mm
Feeding foot width 內壓腳闊 : 4.5mm

Narrow left cording feet
窄身左單邊壓腳

## KP367-R081



Presser foot width 外壓腳闊 : 7.5mm
Feeding foot width 內壓腳闊 : 4.5mm

Narrow right cording feet
窄身右單邊壓腳

## KP467Q




Presser feet for upturned material,
head rest or seam with a large drop-height
上翹形物料/頭枕用壓腳

## KP367VX




Climbing over cross seams
適用於縫製十字縫

## KP367VC




Climbing over thicker materials
適用於縫製特厚物料

## KP367B



KH2810-NPB KH467B-FD KHB01

Presser feet for binding
包邊壓腳

## KP367F



Presser feet for binding
包邊壓腳

## KP367TP



Single needle tape attaching feet
單針落帶壓腳

**Tape Width** 帶寬:
**1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"**

## KP367ZP




KHF844

Presser feet for invisible zipper
隱形拉鏈壓腳

## KP367ZPW




KHF844

Presser feet for invisible zipper
隱形拉鏈壓腳

## KP367LV



Left cording feet for climbing cross seams
左單邊壓腳，適用於縫製十字縫

## KP367RV



Right cording feet for climbing cross seams
右單邊壓腳，適用於縫製十字縫

## KP467LW



Left cording feet for heavy materials
左單邊壓腳，特厚料用

## KP467RW



Right cording feet for heavy materials
右單邊壓腳，特厚料用

## KP367S



Presser feet for meticulous stitching
精巧工序用壓腳

## KP10711703

# 107-11703



Climbing over thicker materials
特厚料用

## GL367



Left compensating guide feet
左邊彈弓傍位壓腳

**2, 3, 4, 5, 6, 8, 9 mm**

## GR367



Right compensating guide feet
右邊彈弓傍位壓腳

**2, 3, 4, 5, 6, 8, 9 mm**

## GL367X

Stronger left compensating guide & wider feeding foot for HEAVY DUTY
特強左邊彈弓傍位壓腳，特闊送料

**3, 4, 5, 6, 8, 9 mm**

## GR367X



Stronger right compensating guide & wider feeding foot for HEAVY DUTY
特強右邊彈弓傍位壓腳，特闊送料

**3, 4, 5, 6, 8, 9 mm**

## GL367H



Deeper left compensating guide with balancing spring for EXTREME HEAVY DUTY
左邊彈弓傍位壓腳，超厚物用

**4, 5, 6, 7, 8, 9 mm**

## GR367H



Deeper right compensating guide with balancing spring for EXTREME HEAVY DUTY
右邊彈弓傍位壓腳，超厚物用

**4, 5, 6, 7, 8, 9 mm**

## GL367M




Compensating left guide feet (for extreme heavy)
左傍高低壓腳(極厚物用)

**3, 4, 5, 6, 8, 9 mm**

## GR367M




Compensating right guide feet (for extreme heavy)
右傍高低壓腳(極厚物用)

**3, 4, 5, 6, 8, 9 mm**

## GD367



Double compensating guide feet
左右雙傍壓腳

**3/32", 1/8", 3/16", 1/4"**

## R367R



Right roller guide feet
右邊傍位滾輪壓腳

**3, 4, 5, 6 mm**

## KH767TG



KHB01 KHF867T

Piping feet
繩管壓腳

**4, 5, 6, 8 mm**

## KH767WG



KHB01 KHF867S

Piping feet
繩管壓腳

**5mm (W) x 5mm (H), 5mm (W) x 7mm (H)**

## KH367PF

LU-2810A



Cording groove on the left of the needle
左坑，繩管用雙趾壓腳

**3, 4, 5, 6, 8, 9 mm**

## KH367PL

LU-2810A



Cording groove on the left of the needle
左坑，繩管用單左趾壓腳

**3, 4, 5, 6, 8, 9 mm**

## KH367PR

LU-2810A



Cording groove on the right of the needle
右坑，繩管用單左趾壓腳

**3.2, 4.8, 6.4, 8, 9 mm**

## KH367PB

LU-2810A



Piping operation to the left of the needle
左坑，繩管用單右趾壓腳

**4, 5, 6, 8, 9 mm**

## KH367PC

LU-2810A

Piping operation to the left of the needle
左坑，繩管用雙趾壓腳

**4, 5, 6, 8, 9 mm**

## KH367PCS

LU-2810A



Piping operation to the left of the needle
左坑，繩管用單右趾壓腳

**4, 5, 6, 8, 9 mm**

## KH367PD

LU-2810A



Double piping groove, needle hole in the middle
雙坑壓腳，針孔在中

**3/16" x 2, 1/4" x 2, 3/8" x 2**
**5mm x 2, 6mm x 2, 8mm x 2**

## KH367PJ

LU-2810A



Cording groove on the left of the needle.
Groove position is adjustable in order to adjust the space between the needle and the cord.
左坑，單左趾壓腳，繩管與落針距離可調教

**3, 4, 5, 6, 7, 8, 9 mm**

## KH367TG

LU-2810A



Cording groove on the left of the needle its welt groove is integrated one half each in the presser feet and feeding feet
左坑，繩管用單左趾壓腳，針孔貼齊坑邊

**3, 4, 5, 6 mm**

## KP1510TP

LU-2810S



Single needle tape attaching feet
單針落帶壓腳

**Tape Width** 帶寬:
**1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"**

## KP1510TP-I

LU-2810S



KP1510TPO) KR-12T

Feeding foot for single needle tape attaching feet
單針落帶內壓腳

## KH1510PD

LU-2810S



Double piping groove, needle hole in the middle
雙坑壓腳，針孔在中

**3/16" x 2, 1/4" x 2, 3/8" x 2**

## KP1510W




Standard feet
標準壓腳

## KP1510LN



Left cording feet set
左單邊壓腳

## KP1510RN



Right cording feet set
右單邊壓腳

## KP1510F



For binding
包縫用

## KP1510-N081




Narrow standard feet
窄身標準壓腳

## KP1510-L081




Narrow left cording feet
窄身左單邊壓腳

## KP1510-R081




Narrow right cording feet
窄身右單邊壓腳

## GL1510



Left compensating guide feet
左邊彈弓傍位壓腳

**3, 4, 5, 6 mm**

## GR1510



Right compensating guide feet
右邊彈弓傍位壓腳

**3, 4, 5, 6 mm**

## GL1510H



Deeper left compensating guide with balancing spring for EXTREME HEAVY DUTY
左邊彈弓傍位壓腳，超厚物用

**5, 6, 8, 9 mm**

## GR1510H



Deeper right compensating guide with balancing spring for EXTREME HEAVY DUTY
右邊彈弓傍位壓腳，超厚物用

**5, 6, 8, 9 mm**

## KP1510VX



For climbing cross seams
適用於縫十字縫

# SEWING FEET
## 壓腳

Juki 重機
*LU-2810S*

### KH1510PL



Cording groove on the left of the needle
左坑，繩管用左單趾壓腳

**3, 4, 5, 6 mm**

### KH1510PR



Cording groove on the right of the needle
右坑，繩管用單左趾壓腳

**3, 4, 5, 6 mm**

### KH1510TG



Left cording groove is integrated one half of each in the presser foot and feeding foot
左坑繩管用，針孔貼齊坑邊

**3, 4, 5, 6 mm**

# GAUGE SETS
## 針位

Juki 重機
*LU-2810A / LU-2810S*

### 0867-200010



Maximum stitch length 6 mm
最長行程 6mm

### 0867-200020



Maximum stitch length 9 mm
最長行程 9mm

### 0867-200030



Maximum stitch length 12mm
最長行程 12mm

### 0467-210070



Feed dog 8mm wide
送布牙面寬 8mm

# DOUBLE NEEDLE FEET
## 雙針壓腳

Juki 重機
*PLC-2760 / PLC-2760-7*

### KP767



Spring type center guide feet set
彈弓中分刀雙針壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

### KP767-SO



Spring type center guide foot
彈弓中分刀雙針外壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

### KP767-SI



Feeding foot for center guide
中分刀雙針內壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

# DOUBLE NEEDLE FEET

## 雙針壓腳

Juki 重機

PLC-2760 / PLC-2760-7

### KP768AO



Pneumatic center guide foot
氣動中分刀外壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

### KP768-I



Compensating inner foot
高低互補內壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

### KP768-IX



Compensating foot with
a center guide on right toe
高低互補內壓腳連中分刀(右趾)

**6, 8, 10, 12, 14 mm**

### KP768-HI




Support larger difference in height
可應付大高度落差

**8, 10, 12, 14, 16 mm**

### KP767S



Presser feet for meticulous stitching
精巧工序用壓腳

**6, 8, 10, 12, 14 mm**

### KP767SK



Center guiding feet for meticulous stitching
精巧工序用中分壓腳

**6, 8, 10, 12 mm**

### KP767UD



Double needle presser feet set
雙針壓腳

**3, 4, 5, 6, 8, 10, 12, 14, 16 mm**

### KP767U



Double needle presser foot
雙針外壓腳

**3, 4, 5, 6, 8, 10, 12, 14, 16 mm**

### KP767D



Double needle feeding foot
雙針內壓腳

**3, 4, 5, 6, 8, 10, 12, 14, 16 mm**

### KP767EP



KHF844

Zipper feet 拉鏈壓腳

**10, 12, 14 mm**

### KP768-MO + KP768-MI



For center cording/piping
中間繩管內外壓腳

**8, 10 mm**

# DOUBLE NEEDLE FEET

Juki 重機

## 雙針壓腳

*PLC-2760 / PLC-2760-7*

### GA767R



Double needle feet with right guide
Guide pressure and guide level are adjustable
雙針右傍壓腳，傍位壓力及高度均可調教

**5, 6, 8, 10, 12, 14 mm**

### KP768-ZO



KP768-ZI

Pneumatic center guiding foot for meticulous stitching
精巧工序用氣動中分刀外壓腳

**6, 8, 10, 12 mm**

### KP768-ZI



KP768-ZO

Pneumatic center guide feeding foot for meticulous stitching
精巧工序用氣動中分刀內壓腳

**6, 8, 10, 12 mm**



# SEWING FEET *(12mm stitch length)*

Juki 重機

## 12mm行程壓腳

*PLC-2760 / PLC-2760-7*

### KP867UD



Double needle presser feet set
雙針壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

### KP867U



Double needle presser foot
雙針外壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

### KP767D



Double needle feeding foot
雙針內壓腳

**3, 4, 5, 6, 8, 10, 12, 14, 16 mm**

### KP868



Spring type center guide feet set
彈弓中分刀雙針壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

### KP868-SO



Spring type center guide foot
彈弓中分刀雙針外壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

### KP767-SI



Feeding foot for center guide
中分刀雙針內壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

# SEWING FEET *(12mm stitch length)*

## 12mm行程壓腳

Juki 重機

*PLC-2760 / PLC-2760-7*

### KP868AO



Pneumatic center guide foot
氣動中分刀外壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

### KP768-I



Compensating inner foot
高低互補內壓腳

**5, 6, 8, 10, 12, 14, 16 mm**

# GAUGE SETS

## 針位

Juki 重機

*PLC-2760 / PLC-2760-7*

### KH2760-NP

PLC-2760



Needle plate for PLC-2760
PLC-2760用針板

**5, 6, 8, 10, 12, 14 mm**

### KH2760-NPT

PLC-2760-7



Needle plate with thread trimmer for PLC-2760-7
PLC-2760-7用剪線針板

**5, 6, 8, 10, 12, 14 mm**

### KH2760-FD



Feed dog
送布牙

**5, 6, 8, 10, 12, 14 mm**

### KH2760-NPC



Lateral covers
針板橋

**5, 6, 8, 10, 12, 14 mm**

### KH767-NC



Needle clamp for double needle
雙針針頭

**3, 4, 5, 6, 8, 10, 12, 14, 16 mm**

### KH867-OSNC




Flip-up needle clamp for double needle
雙跳針針頭

**6, 8, 10, 12 mm**

## KA768



Belt guide completed set for 20mm belt 送綑條套裝 (20mm)
* Must be used with KH2760-NP/NPT needle plate & KH2760-NPC lateral covers. 需配搭KH2760-NP/NPT針板及KH2760-NPC針板橋使用

## KA768-BG



| | |
|---|---|
| N522-005022 | 14mm |
| N522-005032 | 16mm |
| N522-005042 | 18mm |
| N522-005052 | 20mm |

Belt guide completed
導帶器

**10, 12, 14, 16, 18, 20 mm**

## KA768-BI



| | |
|---|---|
| N522-005025 | 14mm |
| N522-005035 | 16mm |
| N522-005045 | 18mm |
| N522-005055 | 20mm |

Belt insert
導帶座膠

**10, 12, 14, 16, 18, 20 mm**

## N522-005007



Shackle
導帶橫條

## N522-005008



Guiding plate
導帶片

## N900-001527



Under table tape roller holder
桌下型綑條盤

## KG2760VP



KG768V

Pneumatic guiding set
氣動傍位

## KG768Y

Piston with holder
氣筒連座

## KG768V

Guiding knife for decorative topstitching
分邊面縫傍位

## KG768M



Guiding knife for
decorative topstitching with piping
飾邊面縫傍位

## KG768C

Guiding knife for decorative topstitching
分邊面縫傍位

# Index
## 索引


| 零件號 Parts Number | 頁數 Page |
|---|---|
| 0467-210070 | N15 |
| 0667-155100 | N05 |
| 0867-200010 | N15 |
| 0867-200020 | N15 |
| 0867-200030 | N15 |
| GA767R | N17 |
| GD367 | N12 |
| GL141 | N02 |
| GL1510 | N14 |
| GL1510H | N14 |
| GL367 | N12 |
| GL367H | N12 |
| GL367M | N01, N12 |
| GL367X | N12 |
| GR141 | N02 |
| GR1510 | N14 |
| GR1510H | N14 |
| GR367 | N12 |
| GR367H | N12 |
| GR367M | N01, N12 |
| GR367X | N12 |
| KA768 | N19 |
| KA768-BG | N19 |
| KA768-BI | N19 |
| KA768-F | N04 |
| KA768-FBG | N04 |
| KA768L | N19 |
| KA768-LBG | N04, N19 |
| KA768-LBI | N04, N19 |
| KA-CND | N05 |
| KA-CNS | N05 |
| KB967 | N07 |
| KB2810 | N07 |
| KG768C | N20 |
| KG768M | N20 |
| KG768V | N20 |
| KG768Y | N20 |
| KG779L | N06 |
| KG779R | N06 |
| KG867P | N06 |
| KG867P-LAK | N06 |
| KG2760VP | N20 |
| KG-AD | N06 |
| KG-BZS | N07 |
| KH1245-NPB/FDB | N09 |
| KH1245PD | N03 |
| KH1296-NB | N04 |
| KH1510FG | N05 |
| KH1510PD | N03, N13 |
| KH1510PL | N15 |
| KH1510PR | N15 |
| KH1510TG | N15 |
| KH1525-NPB/FDB | N09 |
| KH1525PD | N03 |
| KH1560FG | N05 |
| KH205-FNP/FDB | N08 |
| KH2760-FD | N18 |
| KH2760-NP | N18 |
| KH2760-NPC | N18 |
| KH2760-NPT | N18 |
| KH2810-NPB + KH467B-FD | N09 |
| KH291-NB | N04 |
| KH367PB | N13 |
| KH367PC | N13 |
| KH367PCS | N13 |
| KH367PD | N13 |
| KH367PF | N13 |
| KH367PJ | N13 |
| KH367PL | N13 |
| KH367PR | N13 |
| KH367RFG | N05 |
| KH367RFG2 | N05 |
| KH367TG | N13 |
| KH467B | N09 |
| KH669D-NP/FD | N05 |
| KH669-NP/FD | N05 |
| KH669-NPB/FDB | N09 |
| KH669R-NP/FD | N05 |
| KH767AS-SG | N03 |
| KH767-NC | N18 |
| KH767TG | N12 |
| KH767WG | N12 |
| KH768DP | N01 |
| KH768DP-I | N01 |
| KH867AS-SG | N03 |
| KH867-BNP/BFD | N09 |
| KH867FG | N05 |
| KH867K-NP/FD | N02 |
| KH867-OSNC | N18 |
| KH867Q-NP/FD | N02 |
| KHB01 | N07 |
| KHB669 | N07 |
| KHB767 | N07 |
| KHF2 | N08 |
| KHF3 | N08 |
| KHF4 | N08 |
| KHF4410 | N08 |
| KHF867S | N08 |
| KHF867T | N08 |
| KHF867UT | N08 |
| KHF91045 | N07 |
| KP10711703 | N11 |
| KP1245VX | N02 |
| KP141Q | N02 |
| KP1510F | N14 |
| KP1510LN | N14 |
| KP1510-L081 | N14 |
| KP1510-N081 | N14 |
| KP1510-R081 | N14 |
| KP1510RN | N14 |
| KP1510TP | N03, N13 |
| KP1510TP-I | N03, N13 |
| KP1510VX | N14 |
| KP1510W | N14 |
| KP1525B | N09 |
| KP1525VX | N02 |
| KP205B | N09 |
| KP267TP | N03 |
| KP269TP | N04 |
| KP335FB | N09 |
| KP367B | N09, N11 |
| KP367F | N11 |
| KP367LN | N10 |
| KP367LV | N11 |
| KP367N | N10 |
| KP367-L081 | N10 |
| KP367-N081 | N10 |
| KP367-R081 | N10 |
| KP367RN | N10 |
| KP367RV | N11 |
| KP367S | N11 |
| KP367T | N10 |
| KP367TP | N03, N11 |
| KP367TP-I | N03 |
| KP367VC | N10 |
| KP367VX | N10 |
| KP367W | N10 |
| KP367XW | N02, N10 |
| KP367ZP | N11 |
| KP367ZPW | N02, N11 |
| KP467LW | N11 |
| KP467Q | N10 |
| KP467RW | N11 |
| KP767 | N15 |
| KP767D | N16, N17 |
| KP767EP | N16 |
| KP767S | N16 |
| KP767-SI | N15, N17 |
| KP767SK | N16 |
| KP767-SO | N15 |
| KP767TP | N04 |
| KP767TP-I | N04 |
| KP767U | N16 |
| KP767UD | N16 |
| KP768AO | N16 |
| KP768CC | N03 |
| KP768-HI | N16 |
| KP768-I | N16, N18 |
| KP768-IX | N16 |
| KP768-MO + KP768-MI | N16 |
| KP768YAO | N01 |
| KP768YC | N01 |
| KP768YCO | N01 |
| KP768-YI | N01 |
| KP768-ZI | N17 |
| KP768-ZO | N17 |
| KP867C | N01 |
| KP867CD | N01 |
| KP867CD-I | N01 |
| KP867COD | N01 |
| KP867-N081 | N02 |
| KP867-N081WR | N02 |
| KP867UD | N17 |
| KP868 | N17 |
| KP868AO | N18 |
| KP868-SO | N17 |
| KR-12T | N04 |
| KR350 | N02 |
| N522-005007 | N19 |
| N522-005007L | N19 |
| N522-005008 | N19 |
| N900-001527 | N19 |
| R367R | N12 |

# Spare Parts for Heavy Duty

# 厚料設備及零配件

## 2020 新產品 New Products

www.kwokhing.com

www.khsew.com


**國興針車公司**

香港九龍荔枝角道 103-107 號地下

**Kwok Hing Sewing Machine Co.**

G/F., 103-107 Lai Chi Kok Road, Kowloon, Hong Kong
Tel.: (852) 2394 8163 Fax: (852) 2789 2681
Email: hd@kwokhing.com / spareparts@kwokhing.com